



**Introducing  
Twin Wheel  
Casters...**

**The newest,  
most  
economical  
addition to  
RWM Casters**

**TWINWHEEL™**

# TWINWHEEL™

**RWM** is moving faster than ever with the introduction of our new TwinWheel casters!



As **worldwide caster specialists** for more than 65 years, we're a leading supplier for industries as diverse as medical lab equipment and air cargo. And now we have **expanded our line to include an even more economical line of TwinWheel casters**. The wheels work independently so they swivel better, and you can choose from a variety of stem options and small top plates.

Count on RWM to keep things moving in your business.

**THE IDEAL  
LOW COST SOLUTION  
FOR YOUR MOBILITY NEEDS.**

hospitals

medical machines

bath lifts

a



### **TwinWheel Soft Polyurethane Wheel**

For use with medical equipment, audio-visual carts, institutional equipment, and other light industrial uses. This wheel has a **soft polyurethane tread for use on hard floors and a threaded stem**. The body and wheels are impact-resistant, and corrosion-resistant. A button-activated brake option is easily engaged or released by the touch of a toe. Also available with grip-ring stem.

Wheel size: 4" (100 mm)

### **TwinWheel Nylon with Grip Ring Stem**

Designed with a more contemporary look, this wheel's **large diameter accommodates mobile industrial and office furniture or equipment that requires easy, frequent transport**. Typical applications include medical equipment, office equipment and furniture, store fixtures, plastic shelving units, and utility carts. Brake and threaded stem available.

Wheel size: 4" (100 mm)



### **TwinWheel Wood Stem**

TwinWheel Wood Stem provides **low-cost mobility for furniture and seating applications**. Small but strong, the body and wheels are available in tough nylon for controlled mobility on deep pile carpeting. The steel sockets hold gripneck stem casters securely. Designer styling with a hood skirt, this wheel enables independent wheel rotation, and is available with or without a brake.

Wheel sizes: 1.6" (40 mm) and 2" (50 mm)



audiovisual carts



institutional furniture



store fixtures

home and office



### ***TwinWheel Swivel Caster***

The **perfect economical solution for any mobility needs**, the TwinWheel Swivel Caster is used for everything from utility carts, to appliances and seating, to planters. The body and wheels are available in tough nylon, with or without a brake. This caster features a narrow, flush mounted hood.

*Wheel sizes: 1.6" (40 mm) and 2" (50 mm)*

### ***TwinWheel Multipurpose Stem with Socket***

The **economical plastic socket cushions the caster stem**, thus deadening noise by absorbing side thrust. Full contact with bore or tubing wall provides a snug fit. This caster provides a wide range of wood or metal furniture and appliance uses, such as office seating, appliance stands, or computer chairs.

*Wheel size: 2" (50 mm)*



**YOU CAN COUNT ON OUR  
TWIN WHEEL CASTERS  
TO KEEP THINGS MOVING.**





**hospitals**

medical  
machines

audiovisual  
carts

bath lifts

**nurseries**

seating

store fixtures

electronic  
equipment

institutional  
furniture

**home and  
office furniture**



**TWINWHEEL™**

# TWINWHEEL™

 <b>Part Number</b>	 <b>Diameter</b>	 <b>Wheel Type</b>	 <b>Stem/Plate</b>	 <b>Stem/Plate Dimension</b>	 <b>Overall Height</b>	 <b>Swivel Radius</b>
TW-NY-40MM-S	1 1/2" (40mm)	Nylon	Plate	1 1/2" Square Top Plate with 1" Spacing	2 3/16"	1 9/16"
TW-NY-40MM-S-SC	1 1/2" (40mm)	Nylon	Stem	1 19/32" Wood Stem	2 1/16"	1 9/16"
TW-NY-40MM-S-SC-WB	1 1/2" (40mm)	Nylon	Stem	1 19/32" Wood Stem	2 1/16"	1 15/16"
TW-NY-40MM-S-WB	1 1/2" (40mm)	Nylon	Plate	1 1/2" Square Top Plate with 1" Spacing	2 3/16"	1 15/16"
TW-NY-50MM-S	2" (50mm)	Nylon	Plate	1 1/2" Square Top Plate with 1" Spacing	2 9/16"	1 7/8"
TW-NY-50MM-S-SC	2" (50mm)	Nylon	Stem	1 19/32" Wood Stem	2 3/8"	1 7/8"
TW-NY-50MM-S-WB	2" (50mm)	Nylon	Plate	1 1/2" Square Top Plate with 1" Spacing	2 9/16"	2 1/4"
TW-NY-50MM-S-SC-WB	2" (50mm)	Nylon	Stem	1 19/32" Wood Stem	2 3/8"	2 5/16"
TW-NY-100MM-S-SC	4" (100mm)	Nylon	Stem	7/16" x 1" Grip Ring Stem	4 1/4"	3 7/16"
TW-NY-100MM-S-SC-THD	4" (100mm)	Nylon	Stem	1/2" - 13 x 1" Threaded Stem	4 1/4"	3 7/16"
TW-NY-100MM-S-SC-THD-WB	4" (100mm)	Nylon	Stem	1/2" - 13 x 1" Threaded Stem	4 1/4"	4 1/8"
TW-NY-100MM-S-SC-WB	4" (100mm)	Nylon	Stem	7/16" x 1" Grip Ring Stem	4 1/4"	4 1/8"
TW-PU-100MM-S-SC	4" (100mm)	Polyurethane	Stem	7/16" x 1" Grip Ring Stem	4 7/16"	3 7/16"
TW-PU-100MM-S-SC-THD	4" (100mm)	Polyurethane	Stem	1/2" - 13 x 1" Threaded Stem	4 1/2"	3 7/16"
TW-PU-100MM-S-SC-THD-WB	4" (100mm)	Polyurethane	Stem	1/2" - 13 x 1" Threaded Stem	4 1/2"	4 1/8"
TW-PU-100MM-S-SC-WB	4" (100mm)	Polyurethane	Stem	7/16" x 1" Grip Ring Stem	4 7/16"	4 1/8"

WB = Wheel Brake Option  
 Our polyurethane twin wheels have a grey finish. The nylon twin wheels have a black finish.

**RWM Casters • P.O. Box 668 • 1225 Isley Road • Gastonia, NC 28053**

**Phone: 1.800.634.7704 • 704.866.8533 • Fax: 1.800.253.6634**

**www.rwmcasters.com**

© 2000 RWM. All Rights Reserved. RWM-07.10.00