



2007
Material Handling
PRODUCT GUIDE
Technology in Motion™

TITAN BULK DELIVERY SYSTEMS

The RWM Titan Bulk Delivery System will save time, space and money for all route delivery companies. The Titan offers maximum maneuverability, zero turning radius and has a 1200 pound capacity. Heavy duty aluminum welded and bolted construction adds superior strength and durability.

TITAN BULK DELIVERY SYSTEM

- Eliminates picking at the delivery site
- Reduces driver fatigue
- Holds 50-55 cases which will save 5 trips
- Decreases check-in time
- Less product handling
- Increased accuracy for warehouse picking and pricing
- Reduces storage space
- Aluminum is lighter than similar steel trucks and will not rust



Zero Turning Radius



TITAN
with UHMW Deck Plate



Superior RWM Casters
w/8" diameter non-marking wheels



TITAN
Folded Upright Position


FEATURES

Capacity	1200 lbs.
Size	65.5" Long x 18" Wide x 54.5" High
Deck Size	59.5" Long x 18" Wide
Weight	85 lbs.
Handles	Removable for easy storage
Casters	Superior RWM casters w/8" diameter non-marking wheels

OPTIONS

Aluminum Deck Plate
UHMW Deck Plate
6" Casters
Can be converted to premium version by changing to fold down handles

**NEW
PRODUCT!**



Premium TITAN
with UHMW Deck Plate
Zero Turning Radius



Premium TITAN
Folded Upright Position



Premium TITAN
Foot Release Bar



Premium TITAN
with Aluminum Deck Plate

FEATURES

Capacity	1200 lbs.
Size	67.8" Long x 18" Wide x 65.0" High
Deck Size	59.5" Long x 18" Wide
Weight	109 lbs.
Handles	Fold down for easy storage
Casters	Superior RWM casters w/8" diameter non-marking wheels

OPTIONS

Aluminum Deck Plate
UHMW Deck Plate
6" Casters

FIXED ALUMINUM HAND TRUCKS

Build a Custom Hand Truck

Please order the trucks in this order:
Frame, Handle, Nose Plate, Wheels, Stair Glides,
Nose Extension, Frame Extension, Brake,
Accessory Bag, Logo Strips.


Example: F1-SLV-EA1-SW1-S1-E2

- 500 pound capacity
- Stress resistant frames with maximum shock absorption and durability
- Ergonomic design reduces operator strain




F1-VLP-CA1-FN2-S1-N1 F1-DGVEA1-FN2-B1

FRAMES

MODEL	DESCRIPTION	MODEL	DESCRIPTION
F1	Standard Fixed Frame A stress resistant, straight frame for general use offers maximum shock absorption and durability.	F4	Curved Fixed Frame A curved frame to transport cylinders, bottled water and kegs with solid molded curved crossbars for superior strength and safety. Cylinders nest into the frame.
F2	Standard Fixed Frame with Aluminum Center Strap A stress resistant, straight frame with mounted vertical strap offers easy transport of smaller items.	F5	Curved Fixed Frame with Straight Top Crossbar A curved fixed frame with a straight top crossbar for transporting cases on top of cylinders.
F3	Standard Fixed Frame with Solid Aluminum Deck This frame allows transport of smaller and odd shaped items.		

HANDLES

MODEL	DESCRIPTION	MODEL	DESCRIPTION
DGV	Dual Grip Vinyl The dual grip handle comes with an E4 (44") channel extension. The total hand truck height with this handle is 48".	VLP	Vertical Loop Plain The vertical loop handle provides easy maneuverability. The total hand truck height with this handle is 53".
SLP	Single Loop Plain The single loop handle is made of smooth aluminum for easy handling. The total hand truck height with this handle is 50".	VLC	Vertical Loop for Curved Frame The vertical loop handle for the curved frame provides easy maneuverability. The total hand truck height with this handle is 53".
SLV	Single Loop with Vinyl Sleeve The loop handle with vinyl sleeve provides an easy to grip cushioned handle. The total hand truck height with this handle is 50".	DL1	55" Dual Loop Handle The dual loop handle provides extra support for taller loads. The dual loop also provides added safety.
PLT	Pin Handle with Top Grip The easy to use loop handle has a welded pin grip at the top. The total hand truck height with this handle is 52".	DL2	60" Dual Loop Handle The dual loop handle provides extra support for taller loads. The dual loop also provides added safety.
PLC	Pin Handle with Center Grip The loop handle with cross brace and welded pin grip provides easy one-hand toting. The total hand truck height with this handle is 55".		

NOSE PLATES

MODEL	DESCRIPTION	MODEL	DESCRIPTION
CA0	Cast Aluminum Cast aluminum nose plate is 13" wide x 7.5" deep, with a recessed heel. This plate is for the SlimLine Truck™ only.	EA2	Extruded Aluminum Industrial strength nose plate is 18" wide x 7.5" deep. This plate mounts behind the frame and has cut outs for wheels.
CA1	Cast Aluminum Cast aluminum nose plate is 14" wide x 7.5" deep, with a recessed heel.	EA3	Extruded Aluminum Industrial strength nose plate is 14" wide x 9" deep. This plate mounts on the front of the truck frame.
CA2	Cast Aluminum Cast aluminum nose plate is 18" wide x 7.5" deep, with a recessed heel.	EA4	Extruded Aluminum Industrial strength nose plate is 14" wide x 7.5" deep. This plate mounts behind the frame and has cut outs for wheels.
EA1	Extruded Aluminum Industrial strength nose plate is 18" wide x 9" deep. This plate mounts on the front of the truck frame.	EA5	Extruded Aluminum Industrial strength nose plate is 16" wide x 12" deep. This plate mounts on the front of the truck frame.

WHEELS

*Wheel capacity ratings do not reflect hand truck ratings. Maximum hauling weight for hand truck frame and nose plate is 500 lbs.

MODEL	DESCRIPTION	MODEL	DESCRIPTION
FN2	Full Pneumatic 4-ply 10" A great general-purpose wheel with a 4 ply, 2-piece hub, zerk fitting, and ball bearings. Capacity is 350 lbs. per wheel.* Weighs 4.50 lbs.	SN1	Semi-Pneumatic 10" Easy rolling maintenance-free tire with ball bearings provides shock absorption and long life. Capacity is 500 lbs. per wheel.* Weighs 4.90 lbs.
SW1	Signature Wheel 8" A lightweight, strong offset nylon core with high strength non-marking elastomeric rubber tread. The round tread provides easy rolling. This wheel comes with sealed ball bearings. Capacity is 600 lbs. per wheel.* Weighs 2.30 lbs.	SN2	Semi-Pneumatic 8" Easy rolling maintenance-free tire with ball bearings provides shock absorption and long life. Capacity is 440 lbs. per wheel.* Weighs 3.5 lbs.
SW2	Signature Wheel 10" Wheel is the same as the SW1 but has a capacity of 800 lbs.* per wheel and weighs 3 lbs.	SF1	Solid Foam Maintenance Free 10" The solid foam tire with sealed ball bearings performs like a pneumatic and never goes flat. Capacity is 300 lbs. per wheel.* Weighs 4.3 lbs.

NEW!

STAIR GLIDES

MODEL	DESCRIPTION	MODEL	DESCRIPTION
S0	SlimLine Truck™ Stair Glides Narrow aisle stair glides (pair), includes additional cross bar. Not available with curved fixed frames (F4, F5).	S1	Standard Stair Glides The cast aluminum stair glides have low-friction acetal skid bars. They are great for easy moving on stairs and over curbs. Stair glides fit trucks with 8" or 10" wheels.

NOSE EXTENSIONS

MODEL	DESCRIPTION	MODEL	DESCRIPTION
N1	20" Channel Nose Extension The folding nose extruded aluminum channel extension is 20" in length and has a 300 lb. capacity. Only available with CA1, CA2, EA2 and EA4 nose plates.	N2	30" Channel Nose Extension The folding nose extruded aluminum channel extension is 30" in length and has a 300 lb. capacity. Only available with CA1, CA2, EA2 and EA4 nose plates.

FRAME EXTENSIONS

MODEL	DESCRIPTION	MODEL	DESCRIPTION
E1	52" Frame Extension Frame extension accommodates taller loads. Total hand truck height will be 52".	E4	44" Frame Extension This frame extension comes standard on the dual grip vinyl (DGV) handle.
E2	55" Frame Extension Frame extension accommodates taller loads. Total hand truck height will be 55".	E5	44" Dual Frame Extension Frame extension has a larger channel design to glove with other extensions, allowing two extensions on one truck.
E3	60" Frame Extension Frame extension accommodates taller loads. Total hand truck height will be 60".	E6	65" Dual Frame Extension Frame extension with 53" inner strengthening loop

NEW!

BRAKES

MODEL	DESCRIPTION
B1	Disc Brake Precision downhill braking with a single hand fingertip lever. Ergonomically designed for effortless control. Contact factory for specific handle and wheel options. Brake cannot be sold separately.

LOGO STRIPS

MODEL	DESCRIPTION
CONTACT RWM	Personalized Logo Strips Personalized logo strips can be added to the sides of the hand truck. Permanent, all weather durable plastic strips promote your company and help prevent theft. Contact factory for details.

ACCESSORY BAGS

MODEL	DESCRIPTION	MODEL	DESCRIPTION
BS	Small Accessory Bag Bag conveniently carries clipboards, scanners, tools, vending and cleaning supplies. 8"W x 15"L overall with 1 pocket 13"L x 8"W x 2"D, 1 tool pocket 4.5"D x 4"W and 2 pencil/pen pockets.	BL	Large Accessory Bag Bag conveniently carries clipboards, scanners, tools, vending and cleaning supplies. 12"W x 14"L overall with 1 pocket 11"L x 8"W x 6"D.

CONVERTIBLE ALUMINUM HAND TRUCKS

CONVERTIBLE ALUMINUM HAND TRUCKS



HC1-EA1-FN2-B3(2)



HC4-CA2-SW2-B3(2)

Build a Custom Hand Truck

Please order the trucks in this order:
 Frame, Nose Plate, Wheels,
 Stair Glides (available on large convertibles only),
 Nose Extensions, Brake, Logo Strips.

Example: HC1-CA2-SF1-S1-N2-B3(2)

- 500 pound capacity as a hand truck
- 1,000 pound capacity as a platform truck
- 2-in-1 hand truck easily converts from a hand truck to a platform truck
- Easy release mechanism operates smoothly and quickly
- Strong, light-weight frames
- Extremely durable and long lasting

FRAMES

MODEL	DESCRIPTION	MODEL	DESCRIPTION
HC1	Large Convertible Standard Frame Frame consists of strong, lightweight aluminum construction. The total hand truck height is 61", platform handle height is 45.5", platform bed length is 51", platform bed height from floor is 10.5", and the overall length converted is 55.75", frame width is 12".	HC4	Small Convertible Standard Frame Frame consists of strong, lightweight aluminum construction. The total hand truck height is 51", platform handle height is 40", platform bed length is 38", platform bed height from floor is 10.5", and the overall length converted is 47.5", frame width is 12".
HC2	Large Convertible Frame with Aluminum Center Strap Stress resistant, straight lattice back frame with mounted vertical strap provides easy transport of smaller items. The dimensions are the same as the HC1.	HC5	Small Convertible Frame with Aluminum Center Strap Stress resistant, straight lattice back frame with mounted vertical strap provides easy transport of smaller items. The dimensions are the same as the HC4.
HC3	Large Convertible Frame with Solid Aluminum Deck Heavy gauge aluminum sheet is permanently affixed to the truck to allow transport of smaller and odd shaped items. The dimensions are the same as the HC1.	HC6	Small Convertible Frame with Solid Aluminum Deck Heavy gauge aluminum sheet is permanently affixed to the truck to allow transport of smaller and odd shaped items. The dimensions are the same as the HC4.

NOSE PLATES

MODEL	DESCRIPTION	MODEL	DESCRIPTION
CA1	Cast Aluminum Cast aluminum nose plate is 14" wide x 7.5" deep, with a recessed heel.	EA3	Extruded Aluminum Industrial strength nose plate is 14" wide x 9" deep. This plate mounts on the front of the truck frame.
CA2	Cast Aluminum Cast aluminum nose plate is 18" wide x 7.5" deep, with a recessed heel.	EA4	Extruded Aluminum Industrial strength nose plate is 14" wide x 7.5" deep. This plate mounts behind the frame and has cut outs for wheels.
EA1	Extruded Aluminum Industrial strength nose plate is 18" wide x 9" deep. This plate mounts on the front of the truck frame.	EA5	Extruded Aluminum Industrial strength nose plate is 16" wide x 12" deep. This plate mounts on the front of the truck frame.
EA2	Extruded Aluminum Industrial strength nose plate is 18" wide x 7.5" deep. This plate mounts behind the frame and has cut outs for wheels.		

WHEELS

MODEL	DESCRIPTION	MODEL	DESCRIPTION
FN2	Full Pneumatic 4-ply 10" A great general-purpose wheel with a 4 ply, 2-piece hub, zerk fitting, and ball bearings. Capacity is 350 lbs. per wheel.* Weighs 4.50 lbs.	SN1	Semi-Pneumatic 10" Easy rolling maintenance-free tire with ball bearings provides shock absorption and long life. Capacity is 500 lbs. per wheel.* Weighs 4.90 lbs.
SW2	Signature Wheel 10" A lightweight, strong offset nylon core with high strength non-marking elastomeric rubber tread. The round tread provides easy rolling. This wheel comes with sealed ball bearings. Capacity is 800 lbs. per wheel.* Weighs 3 lbs.	SF1	Solid Foam Maintenance Free 10" The solid foam tire with sealed ball bearings performs like a pneumatic and never goes flat. Capacity is 300 lbs. per wheel.* Weighs 4.3 lbs.

STAIR GLIDES

MODEL	DESCRIPTION
S1	Standard Stair Glides The cast aluminum stair glides have low-friction acetal skid bars. They are great for easy moving on stairs and over curbs. Available on large convertibles only.



NOSE EXTENSIONS

MODEL	DESCRIPTION	MODEL	DESCRIPTION
N1	20" Channel Nose Extension The folding nose extruded aluminum channel extension is 20" in length and has a 300 lb. capacity. Only available with CA1, CA2, EA2 and EA4 nose plates.	N2	30" Channel Nose Extension The folding nose extruded aluminum channel extension is 30" in length and has a 300 lb. capacity. Only available with CA1, CA2, EA2 and EA4 nose plates.



BRAKES

MODEL	DESCRIPTION	MODEL	DESCRIPTION
B2(1)	WB Wheel Brake The WB side wheel brake is for the convertible caster. (One brake will be attached to one wheel.)	B3(1)	ICWB Wheel Brake The ICWB face contact brake is for the convertible caster. (One brake will be attached to one wheel.)
B2(2)	WB Wheel Brake The WB side wheel brakes are for the convertible casters. (One brake will be attached to each wheel.)	B3(2)	ICWB Wheel Brake The ICWB face contact brakes are for the convertible casters. (One brake will be attached to each wheel.)



LOGO STRIPS

MODEL	DESCRIPTION
CONTACT RWM	Personalized Logo Strips Personalized logo strips can be added to the sides of the hand truck. All weather, durable plastic strips promote your company and help prevent theft.



*Wheel capacity ratings do not reflect hand truck ratings. Maximum hauling weight for hand truck frame and nose plate is 500 lbs. in the upright position and 1,000 lbs. in the platform position.

EASILY CONVERTS TO A PLATFORM TRUCK IN TWO STEPS



Press Release Bar



Convert to 4-wheel by sliding frame down




Truck becomes a durable platform truck capable of moving 1,000 pounds!

Hand Truck Curb Ramp

Our New Curb Ramp is the perfect solution for product delivery!

This co-polymer high impact plastic curb ramp can withstand the impact of up to 650 lbs.

- Incredibly strong and durable
- Diamond tread non-skid surface keeps ramp in place
- Only plastic curb ramp with a less than 1% failure rate
- Hangs on most hand trucks
- Helps prevent lower back injuries
- Lower workers compensation claims
- 21.5" wide x 23.5" long x 6" high, weighs 7 lbs.
- Increased driver satisfaction (the average beverage delivery person delivers an average of 9750 pounds per day)



RED CURB RAMP

NEW!

Hand Truck Disc Brake

RWM's brake design will make all conventional hand truck brakes obsolete!

This lightweight compact brake design provides:

- Precision downhill braking
- Single hand fingertip control
- Very responsive braking system
- Ergonomic design for effortless guidance
- Easy maintenance and repair
- Mounting options for left or right hand use
- Brake cannot be ordered separately

Contact our factory for specific handle and wheel options.



F1-DGVEA1-FN2-B1



Hand Truck Signature ^{RWM} premium wheels

RWM is changing the hand truck industry with our Signature™ Premium Hand Truck Wheels!

These incredible wheels provide:

- Lightweight, ergonomic design
 - Non-marking, elastomeric high tensile strength rubber tread
 - Strong, lightweight, reinforced nylon hub
 - Durable nylon core is six times stronger than polypropylene
 - Sealed ball bearings
 - Cut, tear and corrosion resistant
 - Higher capacity than any other hand truck wheel in the industry!
- 8" wheel = 600 lb. capacity, 10" wheel = 800 lb. capacity



SW2

SW1

RWM SlimLine TRUCK™

RWM's NEW SlimLine Truck™ offers the same strength and durability for narrow aisle use!


- This truck is designed for optimal beverage handling.
- Slim, lean and specifically designed to navigate narrow corners, stairways and aisles with ease.
- Available with a large variety of standard frames and handles
- The SlimLine Truck™ is available with the CA0, EA1, EA3 and EA5 nose plates.
- To order the SlimLine Truck™, choose your components and add "SL" at the end of the model number, i.e. F1-DGV-CA0-SW1-S0-SL.



F1-DGV-CA0-FN2-S0-SL

STANDARD PALLET TRUCK


- Proven 6,600 pound capacity
- 8" raised height, 3" lowered height
- Shipping weight: 220 lbs.



MODEL NUMBER: PALLETTRCK

NARROW PALLET TRUCK

- Proven 6,600 pound capacity
- 8" raised height, 3" lowered height
- Shipping weight: 184 lbs.



NEW!


Call for
Pallet Truck
Replacement Part
Information



MODEL NUMBER: PALLETNAR

LOW PROFILE PALLET TRUCK

- Proven 4,400 pound capacity
- 6 1/2" raised height, 2" lowered height
- Shipping weight: 220 lbs.



NEW!



MODEL NUMBER: PALLETLOW

FEATURES

Load frame with high tensile steel construction	Strong double "C" forks constructed of heavy steel
Tandem load nylon wheels	Easy turning ability
Hardened chrome piston, lifting rod and cylinder pump piston	Heavy duty ball-bearings in all wheel assemblies
Convenient 3 stage fingertip control (raise, neutral and lower)	Robotically welded for high quality and dependability
Safety loop handle	Durable, leak-proof hydraulic pump offers reliable operation day after day
1 year limited warranty	Available through the RAPIDSTOCK™ Program

HANDI CARTS

MINI HANDI CART FW-90S

FEATURES

Capacity	130 lbs.
Weight	7.0 lbs.
Wheels	4" non-marking
Toe Plate	10" deep
Unfolded	39"H x 14.5"W x 16"L
Collapsed	24"H x 14.5"W x 1.5"L
Handle	Two adjustable heights: 35" & 39"

The Mini Handi Cart has three vertical handle positions and comes standard with a bungee cord. The wheels and baseplate fold flat for easy storage.



Mini Handi Cart
FW-90S

LARGE HANDI CART FW-90B

FEATURES

Capacity	200 lbs.
Weight	10.5 lbs.
Wheels	6" non-marking
Toe Plate	9.75" deep
Unfolded	38"H x 18.5"W x 17"L
Collapsed	28"H x 18.5"W x 2"L
Handle	Extended height: 38"

The Large Handi Cart handle will raise and lower easily, and the wheels and baseplate collapse flat for easy storage. It comes standard with a bungee cord.



Large Handi Cart
FW-90B

NEW!

EXTRA LARGE HANDI CART FW-90L

FEATURES

Capacity	440 lbs.
Weight	21 lbs.
Wheels	8" non-marking
Toe Plate	15" deep, 23" wide
Unfolded	50"H x 23.5"W x 22.25"L
Collapsed	35"H x 23.5"W x 3.5"L
Handle	Extended height: 40" & 50"

The Extra Large Handi Cart folds easily with a push of a button. Two comfortable hand positions with a single flow back handle and two pistol grip handles that fold in when not in use.



Extra Large Handi Cart
FW-90L

Steel Folding Handle Platform Trucks



PT-SS-L

- Move supplies, files, office equipment, tools, samples or electronics
- Great for airports, delivery personnel, sales people, re-stocking, mailrooms, general office use and computer rooms
- Steers easily with hard rubber casters – two rigid and two swivel
- Vinyl perimeter bumper protects walls, doors and furniture
- Ships partially assembled

	Model #: PT-SS-L	Model #: PT-SS-S
Load Capacity	660 lbs.	330 lbs.
Width	23.3"	18.3"
Length	35.2"	28"
Height	39.4"	32.0"
Weight	42 lbs.	25 lbs.
Wheel Diameter	5"	4"

RWM's RAPIDSTOCK™ ExpandiCart™



PT-CA

Model #: PT-CA

- Move supplies, files, office equipment, tools, samples or electronics
- Steers easily with 4" hard rubber casters – two rigid and two swivel
- Ships fully assembled

Capacity	Width	Length	Height	Weight	Wheel Diameter	Model
330 lbs.	16"	28"	32½"	18.7 lbs.	4"	PT-CA
RETRACTED	16"	19½"	25½"			

Folding Handle Aluminum Platform Trucks



PT-FA





Model #: PT-FA

- Ideal for airports, office personnel, mailrooms, general office use, computer rooms and the general office environment
- Smooth aluminum deck supports 330 lbs.
- Steers easily with 4" hard rubber casters – two rigid and two swivel
- Handle folds away via foot release for easy storage and transportation
- Ergonomic design facilitates loading, unloading, and maneuvering
- Ships fully assembled


Capacity	Width	Length	Height	Weight	Wheel Diameter	Model
330 lbs.	18½"	29½"	32¼"	20.5 lb.	4"	PT-FA

NEW!

DOLLIES

MODEL	DESCRIPTION	CASTER SIZE	
310-3	18" x 30" Wood Dolly with Rubber Caps and Polyolefin Casters	3"	
310-4		4"	
810-3	18" x 30" Wood Dolly with Solid Wood Deck and Polyolefin Casters	3"	
810-4		4"	
810WC-3	18" x 30" Wood Dolly with Solid Carpet Deck and Polyolefin Casters	3"	
810WC-4		4"	
423-3	24" x 36" Wood Dolly with Solid Wood Deck and Polyolefin Casters	3"	
423-4		4"	

HAND TRUCK REPLACEMENT PARTS

AXLES		FRAME ADD-ONS	
A0	10" SlimLine Truck™ Axle ($\frac{5}{8}$ " dia., 15 $\frac{1}{8}$ " long)	AD	Aluminum Solid Deck
A1	10" Axle ($\frac{5}{8}$ " diameter, 18" long)	AS	Aluminum Strap
A2	8" Axle ($\frac{5}{8}$ " diameter, 16 $\frac{3}{4}$ " long)	STAIR GLIDES	
BEARINGS		S0	SlimLine Truck™ Stair Glides (pair), includes additional cross bar. Not available with curved fixed frames (F4, F5)
BG1	Bearings (SF1)	S1	Standard Stair Glides (pair)
BG2	Bearings (FN2, SW1, SW2)	PWS	Plastic Replacement Glides/Wear Strips (pair)
BRACKETS			
BKTO	SlimLine Truck™ Wheel Brackets (pair)		
BKT	Standard Wheel Brackets (pair)		
CONVERTIBLE PARTS			
CLA	Convertible Lock Assembly		
RC	Replacement Stem Caster (complete assembly of caster and wheel)		

Limited Warranty

RWM products are warranted for a period of one year from the date of manufacture against defective materials and workmanship. In no event shall the seller be liable for any loss or damage arising directly or indirectly from the use of the product or for consequential or inconsequential damages. Except for the limited warranty described, we make no expressed warranty with respect to any products sold under this contract and specifically exclude any implied warranty of merchantability or fitness for a particular purpose. If the product is being acquired for resale, the buyer will make, in connection with any such resale, only those warranties contained herein, and will indemnify us against any such claims, causes of action and judgments which arise from any representation, warranties or agreements made by or entered into by the buyer, other than those contained herein.



RWM CASTERS

1225 Isley Road • Gastonia, NC 28052

Phone: 1-800-634-7704 ext. 312,314, or 316 • Fax: 800-253-6634 • www.rwmcasters.com

Quality products on time. RWM Casters. The value added supplier.

MEMBER OF



Member Company

